

Application No. 10/537569
 Reply to Office Action of April 18, 2006


Docket No.: 12810-00093-US

RECEIVED
 CENTRAL FAX CENTER

JUL 18 2006

AMENDMENTS TO THE CLAIMS

1. (Original) An N'-substituted N-acylamidine-transition metal complex of the general formula I



where

M is a transition metal selected from the group of the metals Ni, Cu, Ru, Rh, Pd, Os, Ir and Pt

X is Cl, Br, triflate, methanesulfonate or p-toluenesulfonate

m is 0, 1 or 2,

n is 1, 2 or 3

and the radicals are defined as follows:

R¹, R² are each a straight-chain, branched or cyclic hydrocarbon radical having from 1 to 20 carbon atoms which may be mono- or polyunsaturated, an aromatic radical having from 6 to 14 ring members which may be bonded directly or via a C₁- to C₆-alkyl or C₂- to C₆-alkylene group, and the radicals mentioned may bear one or more substituents selected from the group of C₁- to C₆-alkyl, C₁- to C₄-haloalkyl, OR³, NR⁴R⁵, COOR⁶, Si(R⁷)₃, Si(R⁷)₂R⁸, halogen, aryl, C₃-C₈-cycloalkyl,

R³, R⁶, R⁸ are each independently C₁- to C₁₂-alkyl, C₇- to C₁₂-aralkyl, C₆- to C₁₀-aryl, C₃-

Application No. 10/537569
 Reply to Office Action of April 18, 2006

Docket No.: 12810-00093-US

to C₈-cycloalkyl, C₃- to C₈-cycloalkyl in which one CH₂ group has been replaced by O, NH or NR⁹,

R⁴, R⁵, R¹⁰, R¹¹ are each independently hydrogen, straight-chain or branched C₁- to C₁₂-alkyl, C₇- to C₁₂-aralkyl, C₆- to C₁₀-aryl, C₃- to C₈-cycloalkyl or C₃- to C₈-cycloalkyl in which one CH₂ group has been replaced by O, NH or NR⁹, and R⁴ and R⁵ and/or R¹⁰ and R¹¹ may each together be -(CH₂)_y, where y is an integer from 4 to 7;

R⁷, R⁹ are each independently straight-chain or branched C₁- to C₁₂-alkyl or C₇- to C₁₂-aralkyl,

Ar is C₆-C₁₀-aryl or hetaryl having from 5 to 10 ring members, and the radicals mentioned may be substituted by C₁- to C₆-alkyl, C₁- to C₄-haloalkyl, NR¹⁰R¹¹, COOR⁶, Si(R⁷)₃, Si(R⁷)₂R⁸, OR³ and/or halogen.

2. (Original) A transition metal complex of the formula I as claimed in claim 1 where M is a transition metal selected from the group of Ru, Rh, Os, Ir, Pd and Pt.
3. (Original) A transition metal complex of the formula I as claimed in claim 1 where M is Pd or Pt and m and n are each 2.
4. (Previously presented) A transition metal complex of the formula I as claimed in claim 1, where
 R¹ and R² are each branched or unbranched C₁- to C₁₂-alkyl, C₇- to C₁₂-aralkyl, C₆- to C₁₀-aryl, and the radicals mentioned may be substituted by from one to three halogen atoms and/or one or two C₁-C₆-alkyl, trifluoromethyl and/or C₁- to C₆-alkoxy


Application No. 10/537569
Reply to Office Action of April 18, 2006

Docket No.: 12810-00093-US

substituents, and

Ar is C₆-C₁₀-aryl or hetaryl having 5 or 6 ring members, and the radicals mentioned may be substituted by one or more C₁- to C₆-alkyl, C₁- to C₆-alkoxycarbonyl, C₁- to C₆-alkoxy, trialkylsilyl or diarylalkylsilyl and/or trifluoromethyl substituents and/or halogen.

5. (Previously presented) A process for preparing N'-substituted N-acylamidine-transition metal complexes of the general formula I as claimed in claim 1, which comprises dissolving an N'-substituted N-acylamidine ligand of the formula III



and a transition metal compound containing the central atom M according to formula I in an organic solvent or in a mixture of different organic solvents and crystallizing the N'-substituted N-acylamidine-transition metal complex by adding a further solvent different to the solvent or solvent mixture used initially.

6. (Original) A process as claimed in claim 5, wherein the first solvent used is a halogenated or aromatic solvent or a mixture of different halogenated or aromatic solvents, and an ethereal solvent or solvent mixture is added for crystallization.
- 7-9. (cancelled)
10. (previously presented) A catalyst which comprises the N'-substituted N-acylamidine-transition metal complex of the formula I as claimed in claim 1.

Application No. 10/537569
Reply to Office Action of April 18, 2006

Docket No.: 12810-00093-US

11. (previously presented) The catalyst as claimed in claim 10 for transition metal-catalyzed coupling reactions in which at least one new bond is formed between two carbon atoms.
12. (Currently amended) In an olefination ~~An olefination process which wherein the improvement~~ comprises using the catalyst as claimed in claim 10 ~~for transition metal-catalyzed olefination, alkynylation, arylation or diaryl coupling reactions.~~
13. (Currently amended) In an alkynylation ~~An alkynylation process which wherein the improvement~~ comprises using the catalyst as claimed in claim 10.
14. (Currently amended) In an arylation ~~An arylation process which wherein the improvement~~ comprises using the catalyst as claimed in claim 10.
15. (Currently amended) In a diaryl ~~A diaryl coupling reaction process which wherein the improvement~~ comprises using the catalyst as claimed in claim 10.
16. (New) In a Heck reaction wherein the improvement comprises using the catalyst as claimed in claim 10.
17. (New) In a Suzuki coupling reaction wherein the improvement comprises using the catalyst as claimed in claim 10.
18. (New) In a Stephens-Castro-Sonogashira reaction wherein the improvement comprises using the catalyst as claimed in claim 10.

Application No. 10/537569
Reply to Office Action of April 18, 2006

Docket No.: 12810-00093-US

19. (New) In a Stille coupling reaction wherein the improvement comprises using the catalyst as claimed in claim 10.
20. (New) A coupling reaction which comprises reacting a base in the presence of the catalyst as claimed in claim 10.